GEOMAGNETIC FIELD LINE DATA FOR THE NOVEMBER 12, 1966 TOTAL SOLAR ECLIPSE

by

Juan G. Roederer*

December 1965

Goddard Space Flight Center Greenbelt, Maryland

^{*}National Academy of Sciences-National Research Council, Senior Post Doctoral Research Associate, on leave from Facultad de Ciencias Exactas y Naturales, and Centro Nacional de Radiacion Cosmica, Buenos Aires, Argentine.

GEOMAGNETIC FIELD LINE DATA FOR THE NOVEMBER 12, 1966 TOTAL SOLAR ECLIPSE

INTRODUCTION

The total Solar Eclipse of November 12, 1966 is of considerable interest for ionospheric studies. The path of the total phase sweeps through the geomagnetic equatorial region and through the equatorial anomaly in areas where ionospheric and geomagnetic observatories are located, or where temporary observations can easily be arranged.

Geomagnetically conjugate observations should be of special interest, in particular, for studies of phenomena involving plasma flow and wave propagation along field lines. The following tables with data on field line geometry were prepared to facilitate planning of such experiments during the eclipse.

For the numerical calculations, a modified and implemented version of McIlwain's INVAR code* was used, which, retaining the characteristics of controllable accuracy and speed of INVAR, gives all the additional information such as conjugate intersects, equatorial points, total arc lengths, etc., without requiring a second line tracing. The geomagnetic field expansion used is that given by Cain et al. 1 , updated to November 1966. Computing time per field line on the IBM 7094 is of the order of 0.5 sec. for L < 2. The code used here is available on request.

EXPLANATION OF THE TABLES

Columns in Tables I-IV are self-explanatory. The "origin" of each field line is taken at the instantaneous position of the central point of the total phase at 300 Km altitude (Table I), and at sea level. In Tables III and IV, the origin is taken at the northern and southern limit, at sea level, respectively. Data on the eclipse are those published by J. S. Duncombe². West longitudes are negative, total field intensities are given in Gauss, altitudes and arc lengths in Kilometers. McIlwain's L parameter³ is given in earth radii. "Equator" is the point of the field line at which the total field intensity is minimum (this is not the dip equator, which may differ in latitude as much as 3-4 degrees). The "conjugate intersect" is the intersection of the field line with a level of constant altitude, equal to that of the origin (300 Km in Table I, sea level in Table II). The conjugate intersect is not computed when the origin is within about 1000 Km of the geomagnetic equator.

^{*}Distributed by Dr. C. McIlwain, University of California, San Diego.

The map in Figure 1 shows the path of the total phase and the corresponding conjugate intersects, at an altitude of 300 Km. An inspection of this graph leads to the following remarks:

- a. The phase of maximum duration occurs just in the South American Anomaly of the inner radiation belt, i.e., in the region where the steady, low latitude, electron precipitation is maximum⁴,⁵.
- b. The passage through the equatorial anomaly (supposed at the conjugate intersects of the field line reaching out to about 800 Km altitude at its equatorial point) occurs not far from Porto Alegre (Brazil), with a conjugate intersect close to Paramaribo (Surinam).
- c. During the late stage of the eclipse, the conjugate area approaches northern Europe.

REFERENCES

- 1. J. C. Cain, S. Hendricks, W. E. Daniels and D. C. Jensen, Journ. of Geophys. Res. 70, 3647 (1965)
- 2. J. S. Duncombe, US Naval Observatory, Circular 110 (1965)
- 3. C. E. McIlwain, Journ. of Geophys. Res. 66, 3681 (1961)
- 4. L. G. Mann, S. D. Bloom and H. I. West, Space Research III (North Holland Publishing Co., Amsterdam 1963)
- 5. H. S. Ghielmetti, N. Becerra, A. M. Godel, H. Heredia and J. G. Roederer, Phys. Rev. Letters, 12, 388 (1964)

Table I

Data on field lines passing through points of the central line of the total phase at 300 Km altitude (points called "origin"). Equator: point of minimum total field intensity on each field line. Conjugate: intersection of the field line with the 300 Km level on the other hemisphere. Field intensities are in Gauss, altitudes and arc lengths (between origin and conjugate intersect) are in Km.

TOTAL SOLAR ECLIPSE OF 12 NOVEMBER 1966

CENTRAL LINE OF TOTAL ECLIPSE 300 KM

1. 1. 1. 1. 1. 1. 1. 1.		210	- 2	•	.86	10	99.	.35	.01								70	5	.37	•	64.43		1 4 4 4	. 61	12.71	1.73	39.67	1.53	25.	5.04	200	12.0	1.18	2.54	3.83	2.00	57.34	58.40	29.65	14.09	65.29	64.67	64.50	54.95	65.39	65.60	65.80	66.00	
LAY TIONG B			96	201 20	57 - 14	55 -14	52 -12	49 -11	47 -10								-	Γ	7	•	•	• •	1		Τ.		1			i				1	- 1				l	- [1		ì	- 1		1
LAT. LONG B					- 1		1	ċ	ċ	NO	NO	N	2 2	N	N Z	5		1					- 1	5		•	ė		ė			-		٢					P	0	9	> F	•	þ			. !		1
LAT. LONG B	JUGAT	LONG	100.35	29.96	94.40	00.70	-87.99	-85.65	-83.61	PUTATI	PUTATI	PUTAT	PUTAT	PUTAT	PUTAT	2	-64-1	-63.0	-62.1	-61.3	-60.6	7	23%6-	1 2 4	4.74	-56.8	-56.2	-55.6	-54.9	-54.2	-53.5	-26.0	-500-7	49.6	-48.3	-46.	-47.	7	-38.	-35.	-11	.07-	12.	-	-2-	0	÷	. 0	
LAT. LONG B	- 1		• 1				1		.51	WOS OF		to COM	10 COM	200	NO. 0			1		1.32	0.28	1.88	,		2	20.0	1.56	3.17	18:4	94.9	8.13	78.6	3.27	5.04	6.85	0.8	20.00	4.54	96.98	38.70	18.0	3.06	10.04	2	49.10	49.64	49.14	49.95	4
Color Colo		_	-10	91-	97-	1		- 16	4 -16	_	_	_		_			ı i	-	1	4	4	.	4	•	•				Γ	*		- {				!	- !		Т				-						1
CALCADIC		ARC	22E 0	20E 0	19E 0	196		146	12E 0							1	124	335	26E 0	30E 0	34E 0	386	43E	.47E	. 52E		- {		١.	.86E									ŧ		1.22E	.23E	7.24E	1675	7.26E	3.25E	3.25E	3.25E	3.5
LAT LONG B LONG LAT LONG B L					- 1		1		-							-	00	P							- !				ı					L			-											1	
LAT LONG B		ALT	463.6	439.8	422.3	409	396	358.7	343.2							-	349		464	563.	638.	724.	822.	626	1046	1173	1313.	1431		2004	2214.	2443.	2687	1	3550	3883.	4242.	1040		5937	1149	6889	1361	1111	7800	7828	1772	7642	1235
LAT LONG B	8		246	246	246	246	24.5	247	244	243	241	239	236	233	230	226	222	12	200	200	194	187	.180	241	165	157	641	141.		1117	109	101	.093	9	072	.065	.059	.053		039	.035	1.031	920.0	9.056	3.026	1.020	0.027	0.028	0.031
1.04 -07.22 0.288 1.551 1.081 -10.42 -95.2 -0.288 1.543 1.081 -10.42 -95.2 -0.288 1.543 1.081 -10.89 -95.2 -0.288 1.543 1.081 -10.89 -95.2 -2.07 -0.289 1.543 1.081 -10.89 -95.2 -2.07 -0.200 15.43 1.081 -10.89 -95.2 -2.07 -0.200 12.51 1.085 -11.52 -95.2 -95.2 -2.25 -0.200 0.259 9.71 1.085 -13.59 -85.2 -95.2	TALIO			1	1		- 1	> C	P	. 0			P	_	۲	٦		١				ì	_	ļ			1		١		٦			1					-1			_		- 1		- 1			- !
LAT LUNG B 11.51 1.081 -10.44 -10.25 -10.26 -10.34 -10.81 -10.84 -10.25 -10.25 -10.25 -10.84 -10.81 -10.84 -10.		ONC	-98.9	-95.5	-93.2	-91.4	-83.8	7.18.	1000	4-18-	-11	74.0	-72.4	-70.2	-68.2	-66.5	-64.9	-63	707	200	-58.4	-57.	-56.	-55	-54.	-53	-52.	-51		1	-46	-45	-43.	;	9	-36-		1	- 1	123	-19	-14.	8	7				İ	İ
LAT LONG B 17.51 1.080 -10.28 -17.51 1.080 -10.28 -17.51 1.080 -10.28 -17.51 1.080 -10.28 -17.51 1.081 -10.28 -17.51 1.081 -12.80 -12.80 -12.80 -12.80 -12.81 1.081 -12.80 -12.80 -12.80 -12.81 -10.81 -12.80 -12.80 -12.81 -12.81 -10.81 -12.80 -12.80 -12.81 -		T.A.		ł			- 1	•	*0.		2			2	7.02	7.25	1.28	87.	90.	5	6.62	6.40	5.97	5.64	5.27	5.03	4.64	4.18		000	2.55	1.89	1.55	6	0.00	9. 36	8.76	-B-03	3			-3.57	22.2-	-0.67	10.0-	0.83	1.87	2:35	3.85
1.04			, ,	-10	÷	=	7	7	•	1			1	1	1		1	- 1		1				١					1				1	- 1	ı				١										
1.04		-	90	0.81	.081	180.	1.082	1.083	-084	200	000	600	600	200	101	1.113	121.1	1.129	1.138	1.149	1.174	188	1.204	1.227	1.241	192.1	1.284	1.308	333	1.363	628	1.464	1.503	1.545	1.591	209	1.750	1181	1.87	1.94	100	2.166	2.23	2.28	2.30	2.30	2.29	2.25	2.17
1.04				1	63	49	. 89	.51	.21		=	8	2	•	. B.		.26	.84	.36	8	28			9	.62	. 50	5.31	.07	-	245	5	4	69.9	8.13	9.58	200	3.83	2.20	6.56	7.90	7.60	8	18.7	3.80		4.40	4.4	5.52	4.20
1.04		1	2	1	2	*	13	12	=	•		n (7	? ?	֓֞֞֜֓֓֓֓֓֓֓֓֓֟֓֓֓֓֟֓֓֓֓֟֓֓֓֓֓֓֓֓֓֓֓֟֓֓֓֟	1	F	-13	91-	7	121	16-	1	ř		ľ	•	1		ŀ	1	٠	1.	-	ľ				'				1		•	1	-	- 1	Į
LAT LONG 1.04 -97.22 1.05 -91.72 -1.25 -91.75 -2.07 -96.00 -2.07 -96.00 -1.29 -96.00 -1.20 -9		Z S	9	200	2.280	5.278	0.275	5.270	0.266	0.263	0.259	0.251	0.244	0.239	330	22.0	0.223	0.221	0.220	0.218	0.217	17.0	7		0.219	0.220	0.221	0.223	0.225	0.227	0.229	2.0	0.236	0.239	7.0	7.0	0.250	0.25	0.25	62.0	0.26	2 6	0.76	0.26	1		1	ì	
1.04 -91 1.04 -91 1.05 -				-		1		L					ş	90	61.	2 2	885	.27	4.	1.27	. 83	?			. 63	21.6	85.8	66.9	5.33	19:	1.81	7.07	5.83	3.61	1.24	8.72	3.12	00.0	6.63	16.2	9.96	70.0		3.20	85.9	0.56	16.27	5.00	36.02
				- 1		1		ľ					- 1		- 1		Т		ì			- 1								ľ			- 1			- 1		1		ľ			1		1				
			ראן.	500	97.0	30	-2.80	1:10	-5.25	-6.31	-7.29	-9.53	11.56	13.43	15.19	0.01	00.00	21.48	22.92	-24.31	-25.66	20.98	97.87		10.15	11.0	34.19	35.25	-36.33	£	-38.3		-41.	-41.9	1.24-	43.4	1000	-45.2	-45.6	-45.8	-46.0	0.0		1	· ·	-42.6	-42.1	**	-38.3
## 20 20 20 20 20 20 20 20 20 20 20 20 20				1		1		ı				ı	- 1		- 1		١		Г	•				g	25			2	30	2	9	ç	2	18	5	2	2	2	3 8	k	9	4.5	2			8	62	2	58
		U.T	H	123	123	*	12	É	12 4	12.4	12	12	13 C	13	13	2		1 5	F	13	£	13	Ξ:	:	\$:	:				F	*	: :	=	12	F	13	-	3	12	F	13	1	2	12	4	: 9	f	=	99

Table II Data on field lines passing through points of the central line of the total phase at sea level.

TOTAL SOLAR ECLIQSE OF 12 NOVEMBER 1966

CENTRAL LINE OF TOTAL ECLIPSE

	ı	_		1		ļ	ļ		ı		ı	1		:		ı	ı		ł		l	1		1	i			ı		1	1			ì					ı	1			1
	OIP	-16.29	-15.03	12.51	-11.67	-10.90	-10.23									11.08	13.84	16.57	21.90	24.49	27.02	29.47	34.15	36.37	38.51	42.54	44.44	46.26	49.65	51.23	54.14	55.49	56.76	59.10	60.20	61.26	62.33	64.57	65.06	65.55	66.57	67.06	67.46
	_	0.311	0.306	205	0.296	0.294	0.29	,		• •	-	-	,		• •	0.286	0.291	0.296	310	0.318	0.326	0.334	0.352	0.361	0.371	0.389	0.398	0.407	0.424	0.432	944	0.453	0.458	0.466	0.469	0.470	174.0	0.471	0.471	0.471	0.473	0.474	0.478
CONJUGATE	LONG	-106.79	-102.75	198.40	-93.76	-92.02	-90.45	COMPUTATION	COMPLIATION	COMPUTATION	COMPUTATION	COMPUTATION	COMPUTATION	COMPUTATION	COMPUTATION	-67.17	-65.75	-64.52	-62.50	61.65	-60.89	-60.18	-58.88	-58.26	-57.64	-56.35	-55.67	54.93	53.25	-52.27	-49.91	-48.48	-46.83	-42.64	-39.93	-36.66	-27.61	-21.09	-17.90	-14.23	-4.78	1.86	12.08
Ŝ	LAT			-14.19				NO COM							NO COMP	- 61.7-			-1.54	01.0	l	3.42			0.19			81.4		ļ	26.53		30.56 -	ı	1		44.07		L	40.19			
		i														40	40	*	1	•	+0	* 0	40	40	104	1 1	40	* 4	• • •					i	-	050	1	05 4	ļ	000		05 50	
	ARC	0-19E 04	0.17E 0	0.145 04	0.13E	0.12E 04	0.11E									0.14E	0.17E	0.21E	0.29E	0.33E	0.37E	0.41E	0.51E	0.56E	0.61E	0.73		0.805	0.10E	0.11E 05	0.135	0.146	0.156 05	0.176	0.19E	0.20E	0.236			0.26F	0.26E	0.26E	
	ALT	128.0	106.6	68.8	57.0	48.3	40.8									38.8	15.6	121.7	243.3	319.2	404.7	1000	731.8	865.2	1010.5	1346.6	1538.4	1076.6	2225.6	2497.8	3116.1	3468.9	3850.5	4709.8	5188.0	5695.6	6756.2	7264.9	0.6447	7742.4	7816.0	7800.1	7555.5
EQUATOR		0.292	0.292	0.291	0.290	0.289	0.289	0.287	0.284	0.282	0.281	0.279	0.274	0.265	0.260	0.254	0.248	0.242	0.228	0.220	0.212	0.204	0.186	0.176	0.167	0.147	0.137	0.127		660.0		0.073	990.0	0.052	0.046	0.041	0.032			0.026	0.026	0.026	ĺ.,
03	LONG	-105.56	-101-64	-95.07	-93.08	-91.42	-85.90	-87.49	-83.56	-81.91	-80.42	-79.04	-75.96	-71.01	-68.93	-67.05	-65.33	-63.76	-60.95	-59.67	-58.45	-56.16	-55.06	-53.97	-52.85	-50.56	-49.35	-46.73	-45.29	-43.74	-40.21	-38.21	-35.97	-30.67	-27.50	-23.89	-14.70	-8.68	-5.87	0.85	5.21	10.58	18.75
		-7.51		-10.06	-10.71	-11.14	-11.59	-12.15	-13.45	-13.90	-14.49	-14.93	-15.73	17.10	-17.36	-17.66	-17.76	-17.75	-17.49	-17.26	-17.05	-16.61			-15.09	-14.13	-13.65	-12.62			-10.37	- 1	-8.94	1	- 1		-3.68	-2.32	-1.62	0.07	0.45	2.13	2.92
	_	1.021	1.021	1.022	1.023	1.024	1.025	1.027	1.031	1.033	1.035	1.038	1.043	1.056	1.063	1.071	1.079	1.089	1:111	1.125	1.139	1.173			1.238	1.292	1.322	1.392				ļ	1.689	1.826	1.901	1.982	2.148	2.225	2.252	2.293	2.301	2.292	2.241
	d10	15.93	13.26	12.28	11.46	10.71	10.05	49.69	6.24	5.06	3.90	2.75	60.00	-5.65	-8.35	-11.00	-13.59	-16.10	-20.91	-23.19	-25.40	-29.60	-31.59	-33.52	-37.22	-38.99	-40.72	44.07	-45.70	-47.31	-50.46	-52.01	-53.54	-56.54	-58.00	24.66-	1		-63.67			-64.85	L
ORIGIN	8	0.333	0.329	0.320	0.317	0.314	0.311	0.306	0.297	0.293	0.289	0.286	0.278	0.265	0.260	0.255	0.252	0.249	0.245	0.244	0.243	0.244	0.244		0.247	0.251	0.253	0.258	- 1	0.264	0.271	0.274	0.277	1		293			0.296			0.303	0.311
5	LONG	-104.00	-1001-	-93.66	-91.77	-90.19	-88.73	-86.46	-82.76	-81.21	-79.81	78.52	173.00	-70.97	-68.95	-67.08	-65.31	193.61	-60.38	-58.80	-57.24	-54.08	-52.47	-50.83	-47.38	-45.56	-43.67	-39.59	-37,38	-35.04	-29.90	-27.06	-24.01	-17.16	-13.28	40.4	96.0	7.04	9.60	16.19	20.08	24.86	!
	i	1	6	-1.95	-2.83	-3.60	-4.31	-6.73	1	-8.77	-9.71		17.21-	1	-18.21	-19.86	-21.45	-22.99	-25.92	-27.32		-31.30	-32.56	-33.78	-36-13			-40.39		-42.27		- 1	-45.93	1		16.04-	-46.70	-46.15	45.80	-44.77	-44.00	-42.90	-40.99
U.T.	H. H.	17 43	17 1 2 12	12 45	12 46			12 50	12 54	12 56	58	8 8	5 5		13 20 -		- 1		1	. !	55	14 05	2	52.5	1	14 30 -			2	15 55	20	2	2 2	1	30	£ 4		ı	15 52	1	ı	85	20

Table III Data on field lines passing through points of the northern limit of the total phase at sea level.

TOTAL SOLAR ECLIPSE OF 12 NOVEMBER 1966

NORTHERN LIMIT OF TOTAL PHASE

CONJUGATE	AT LONG B	.26 -106.77 0.311	.32 -101.90 0.306	-97-96 0-301	.49 -95.40 0.298	48 -01.46 0.203	-90.15	MPUTATION	NO COMPUTATION	COMPUTATI	O COMPUTATION	NO COMPUTATION	NO CORPORATION	0 -65.46	-64.24 0.295	-63.17 0.302	-62.23 0.309	-0.06 -61.39 0.316 24.16	-60.63 0.325	3.27 -59.93 0.333 29.16	-58.48 0.342	-58.04	-57.42 0.369	0.379	-56.16 0.368	0.397	-53.95 0.415	-53.08 0.423	-52.11 0.431	-51.02 0.438	-48.36 0.451	6	104.0 20.44-	-39.89 0.468	-36.66 0.470	-32.68 0.471	124.0	200 017	14.47 0.471	-10.24 6.471	-5.14 0.472	50.57 1.37 0.474 66.95	11.25 0.478	23.73 0.466				
	ARC	0.19E 04	0.17E 04	101.0	0.146 04	0.136 04	0.12E 04											0.17E 04	0.20E 04	0.24E 04	0.28E 04	0.32E 04	0.36E 04	0.416.04	104.0	0.55	0.61E	399.0	0.72E 04	0.78E 04	0.926 04	1.00E 04	0.11E 05	0.126 05	0.14E 05	0.15E 05	20 361.0	0.19E 05	0.20E 05	0.22E 05	0.23E 05	N 246 U	0.258.05	0.268 05	0.26E 05	0.26E 05	0.295 03	0.23E 05
EQUATOR	60	0.291	0.291	167.0	0.280 (2.2	0.288	0.288		į			0.280	- 1		- 1		0.284	0.248	0.242	0.235	0.228	0.221	0.213	0.205 490.1	0.187	0.177	0.168	0.158	0.148	0.136 1509.9	0.119	0.110	0.100	0.041 2047.2	0.075	0.067	0.00	0.047	0.042	0.037	0.033 6663.8	1000	0.028	0.027	0.027	0.027 7742.2	0.028	0.033
4	LAT LCNG	-7.70 -105.54	-8.55 -100.79	20.14- 40.4-	-10.19 -94.51	Г			- 1		- 1		-14.95 -78.69		00.67- 96.01-		-11-77 -66-77		78	- 1				-16.59 -57.02		ł	-15.01 -52.61	-14.54 -51.49	6	-13.71 -49.11	2.57	- 1	-11.48 -43.58	11.0441.04-		1	74.06- 03.0-		1	ı	-3.57 -14.85		-1.04 -2.94			1.42 10.15	ı	
		16.17 1.022		7	11.74 1.024	ī	10.33 1.026	_	.82	_	٦	_	7		-	17.05	-10.62 1.070	_	Γ.		-20.60 1.110	22.91 1.123	٠.	-21.29 1.154	٠-		_	37.06 1.260	7	-40.59 1.318	T	7	-47.22 1.468	176-1 20-04-	-	-53.49 1.679	Т	-	-59.40 1.968	7	-62.07 2.133	T		1		-64.89 2.283	L	
ORIGIN		- [1	-91.35 0.317		9		- 1	0	익	-79.46 0.290	9		7	,	0.250	0.252	0.249	-	0.245		2,43	-55.34 0.243	0.244		0.246	0.248	0.250	-43.41 0.632 -	0.257	0.260	0.263	-29.78 0.270	0.273	-23.96 0.276	0.283	0.286	0.288	0.291	0.71 0.293	700	0.296	298	0.299	206.0		0.325
		21.2	44	-103	46 -2.79	47 -3.55	48 -4.24	50 -5.49	52 -6.63	24 -7.67	-8.65	58 -9.58	14.01- 00	-14.33	000		25 - 19-66		ļ	-24.24	-25-67	Ί	71.07	-41.03	-32.27			1	_	40 -39.05	ĺ.			86.264	-44.32	- 86.44- 61	-46.03	'	-46.60		40.64	Ţ	-45.17	19.44-	-43.87	-42.82	-41.02	-38.38
7	Ĭ	3	7.	-	17	F	12	12	77	12	2	75	2	3:		2 5	F	13	13	2	3:	1	3 :	:	*	=	14	*		: ≤	*	=	===		2	15	P	2	5			÷	13	-	2	2 2	16 02	Ē

Table IV
Data on field lines passing through points of the southern limit of the total phase at sea level.

TOTAL SOLAR ESLIPSE OF 12 NOVEMBER 1966 SOUTHERN LIMIT OF TOTAL PHASE

EQUATOR 1 01P L LAT LCNG B ALT 15.65 1.021 -7.46 -105.59 0.292 123.4	EQUATOR ALT LCNG B ALT 1.021 -7.46 -105.59 0.292 123.4	LCNG B ALT -105.59 0.292 123.4	ALT 123.4		LAT LONG B -13.96 -106.80 0.311
0.329 14.70 1.020 -8.10 -102.65 0.292 106.6	1.020 -8.10 -102.65 0.292 106.6	-102.65 0.292 106.6	106.6		-13.94 -103.76 0.307 -13.97 -98.98 0.302
-95.44 0.292 67.1	1.021 -9.78 -95.44 0.292 67.1	-95.44 0.292 67.1	67.1		04 -14.01 -96.25 0.299
0.317 11.18 1.022 -10.42 -93.46 0.291	1.022 -10.42 -93.46 0.291	-93.46 0.291			16.31 -91.92 0.294
	1.024 -11.14 -91.52 0.297	-90.33 0.290		- 1	-14.07 -90.84 0.293
0.306 8.34 1.026 -12.10 -87.85	1.026 -12.10 -87.85	-87.85	0.288		NO COMPUTATION
-13.39 -83.91	1.030 -13.39 -83.91	-83.91	0.285	ļ	NO COMPUTATION
0.293 4.66 1.032 -13.87 -82.25	1.032 -13.87 -82.25	-82.25	0.283	- 1	NO CONTRACTOR
0 0	1.035 -14.44 -80.70	-80.70	0.280		
-0.51 1.043 -15.63 -76.29	1.043 -15.63 -76.29	-76.29	0.275		
0.271 -3.31 1.049 -16.41	1.049 -16.41 -73.66	-73.66	0.270		NO TATION ON
-6.06 1.050 -10.94 -11.54 -8.75 1.063 -17.35 -69.26	1.050 -10.94 -11.54	-69-26	0.260		NO COMPUTATION
0.256 -11.39 1.071 -17.56 -67.38 0.254	1.071 -17.56 -67.38 0.254	-67.38 0.254			0.14E 04 -7.56 -67.47 0.287
0.252 -13.95 1.080 -17.74 -65.66 0.248	1.080 -17.74 -65.66 0.248	-65.66 0.248			0.21E 04 -4.55 -64.80
0.249 -16.45 1.089 -17.61 -84.00 0.234 0.247 -18.87 1.100 -17.62 -62.62 0.234	1,100 -17,62 -62,62 0,234 1	-62.62 0.234			0.256 04 -2.98 -63.72
-21.21 1.113 -17.49 -61.26 0.227	1.113 -17.49 -61.26 0.227	-61.26 0.227			0.29E 04 -1.37 -62.77
0.244 -23.48 1.126 -17.28 -59.97 0.219	1.126 -17.28 -59.97 0.219	-59.97 0.219		-40	
0.244 -25.67 1.141 -17.00 -58.75 0.203	1.141 -17.00 -58.75 0.211	-57.59 0.203			0.42E 04 3.57 60.42
-16.41 -56.43 0.194	1.176 -16.41 -56.43 0.194	-56.43 0.194			0.47E 04 5.24 -59.75 0
0.245 -31.80 1.195 -15.93 -55.33 0.184	1.195 -15.93 -55.33 0.184	-55,33 0.184	İ		-
0.246 -33.71 1.217	1.217 -15.55 -54.22 0.175	-54.22 0.175	_		0.62E 04 10.33 -57.85 0
-14.64 -51.96 0.156 1	1.267 -14.64 -51.96 0.156 1	-51.96 0.156 1	Γ		0.68E 04 12.05 -57.21
0,251 -39,13 1,295 -14,20 -50,78 0	1.295 -14.20 -50.78 0.146 1	-50.78 0.146 1	7		0.74E 04
-48.26 0.126 1	1.326 -13.73 -49.55 0.150 1 1.360 -13.31 -48.26 0.126 1	-48.26 0.126 1		: ~	04 17.33 -55.11
0.259 -44.17 1.397 -12.72 -46.91 0.116	1.397 -12.72 -46.91 0.116	-46.91 0.116	-		.94E 04 19.13
0.262 -45.79 1.437	1.437 -12.15 -45.46 0.107	45.46 0.107	-		0.10
0.265 -47.39 1.481 -11.33 -43.30 0.039	1.481 -11.33 -43.40 0.039	-42.20 0.089			0.125 05 24.74 -51.31
0.272 -50.53 1.581 -10.39 -40.33 0.080	1.581 -10.39 -40.33 0.080	-40.33 0.080		3167.8	0.13E 05 26.69 -50.05
0.275 -52.07 1.638 -9.74 -38.29 0.072	1.638 -9.74 -38.29 0.072	-38.29 0.072		3524.7	0.148 05 28.69 -48.60 0.454
-53.60 1.699 -8.95 -36.05 0.065	1.699 -8.95 -36.05 0.065	-36.05 0.065		3913.4 4333.2	32.85 -44.99
0.281 -55.10 1.188 -6.23 -55.57 0.051	1.838 -7.57 -30.68 0.051	-30.68 0.051		4784	05 35.02 -42.70
0.287 -58.04 1.915 -6.66 -27.49 0.045	1.915 -6.66 -27.49 0.045	-27.49 0.045		5269.7	0.19E 05 37.25 -39.97
0.290 -59.45 1.996 -5.72 -23.84 0.040	1.996 -5.72 -23.84 0.040	-23.84 0.040		e .	0.21E 05 39.54
0.292 -60.80 2.079 -4.78 -19.58 0.035	2.079 -4.78 -19.58 0.035	-19.58 0.035		.:I.	0.22E US 41.88 =32.01
0.294 -62.07 2.163 -3.57 -14.59	2.163 -3.57 -14.59 0.031	-14.59 0.031			0.24E US 44.26 -21.92
0.296 -63.23 2.240 -2.20 -8.51 U.UZB	2.240 -2.20 -8.51 0.028	870°0 15°8-	1		0.25E 05 47.58 -17.69
.296 -63.65 2.267 -1.10 -3.65 0.021 0	2.267 -1.10 -2.65 0.021	-2.65 0.027			0.26E 05 48.49 -13.99
0.297 -64.03 2.290 -0.34 2.29	7 206 0 03 1-16 0-026	1.16 0.026			0.26E 05 49.36 -9.65
0.299 -64.31 2.308 0.03 1.10 0.25	2.312 0.66 5.52 0.026	5.52 0.026	•		0.26E 05 50.17 -4.40
-64.81 2.301 1.58 11.00 0.026	2.301 1.58 11.00 0.026	11.00 0.026	- '		0.26E 05 50.85 2.35 0.475
0.307 -64.83 2.282	2.282 2.37 14.54 0.027	19.49 0.027	1	• 3	05 51.22 12.96
0.312 -54.74 2.243 3.01 17:17 0.022	2,144 4,13 28,21 0,032	28.21 0.032	•		05 50.78 23.72
				١	




Figure 1—Central lines and conjugate intersects of the total phase at 300 Km altitude.